

	Type	Hits	Search Text
1	IS&R	0	("capacitor").PN.
2	BRS	212962	capacitor
3	BRS	24	anode adj lead adj frame
4	BRS	57631	lead adj frame
5	BRS	385209	through adj hole
6	BRS	2823	S4 and S5
7	BRS	0	S1 and S6
8	BRS	232	S2 and S6
9	BRS	1400	rivet same crimped
10	BRS	1	S4 and S9
11	BRS	41	rivet same S4
12	BRS	4083	rivet same spacer
13	BRS	39	S2 and S12
14	IS&R	0	("20030039093").PN.
15	IS&R	0	("20020141141").PN.
16	IS&R	2	("20020141141").PN.

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>
1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 08:40		
2	USPAT	2005/03/21 09:23		
3	USPAT	2005/03/21 08:56		
4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 08:57		
5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 08:59		
6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 08:59		
7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 08:59		
8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:17		
9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:18		
10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:18		
11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:23		
12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:23		
13	USPAT	2005/03/21 09:26		
14	USPAT	2005/03/21 09:29		
15	USPAT	2005/03/21 09:28		
16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:28		

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>
<b>17</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:29		
<b>18</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/03/21 09:29		